

**Model: [7002](#)
Pressure Regulator**



Specs

Max Flow:	5 gpm
Min Pressure:	500 psi
Max Pressure:	2000 psi
Inlet Port Size:	0.38
Discharge Port Size:	0.5
Type of Accessory:	Regulator
Material:	Steel (STL)

Description:

This Pressure Regulator is designed for single or multiple pump, weep or multiple nozzle systems. This is a flow-thru design easily plumbed into the discharge line or directly onto the discharge head. This regulator maintains set system pressure even when only one of several guns or nozzles is performing or a solenoid valve is open, by-passing the unused flow. The pressure is held in the line during full by-pass and instantly has full pressure, when all guns and nozzles resume operation. 5-10% by-pass is necessary for optimum performance.

Accessory to be used with these Pumps:



[350B5](#) FRAME PLUNGER PUMP
[5CP2150W](#)5CP PLUNGER PUMP



[2403](#) FRAME PLUNGER PUMP



[310ALT5](#) FRAME PLUNGER PUMP



[3405 FRAME PLUNGER PUMP](#)



[340B5](#) FRAME PLUNGER PUMP



[3505 FRAME PLUNGER PUMP](#)

[2903 FRAME PISTON PUMP](#)



[2703](#) FRAME PLUNGER PUMP



[340S5 PFR PLUNGER PUMP](#)

[5CP2150B5CP PLUNGER PUMP](#)



[350S5 PFR PLUNGER PUMP](#)



[2303](#) FRAME PLUNGER PUMP



[3235 FRAME PISTON PUMP](#)



[3334](#) FRAME PISTON PUMP