

Model: [7107.7](#)

Inlet Filter



Specs

Max Flow:	35 gpm
Min Pressure:	0 psi
Max Pressure:	70 psi
Inlet Port Size:	1.25
Discharge Port Size:	1.25
Type of Accessory:	Inlet Filter
Material:	N/A

Description:

The inlet filter is designed to filter the liquid before entering the pump. It easily mounts in-line at the pump inlet. The standard 80 mesh is adequate for normal city water and supply tank filtering. This version has a clear body for easy detection of a clogged filter. Additional filtration is necessary for reclaim and non-water liquids.

Accessory to be used with these Pumps:

[2530](#) 25 FRAME PLUNGER PUMP



[2510](#) 25 FRAME PLUNGER PUMP

[2520](#) 25 FRAME PISTON PUMP



[2520C25](#) FRAME PISTON PUMP



[2521](#)25 FRAME PISTON PUMP

[2530ALT](#)25 FRAME PLUNGER PUMP

[1520](#)25 FRAME PISTON PUMP



[152125](#) FRAME PISTON PUMP



[1525](#)25 FRAME PISTON PUMP with PULSE PUMP MANIFOLD



[2525](#) 25 FRAME PISTON PUMP

[2530E](#) 25 FRAME PLUNGER PUMP



[2511](#) 25 FRAME PLUNGER PUMP

[2531](#) 25 FRAME PLUNGER PUMP



[2831](#) 28 FRAME BLOCK-STYLE PLUNGER PUMP

[2537](#) 25 FRAME PLUNGER PUMP
