



Model: [7536](#)
Multiple Gun Pressure Unloader

Specs

Max Flow:	21 gpm
Min Pressure:	3000 psi
Max Pressure:	5700 psi
Inlet Port Size:	0.5
Discharge Port Size:	0.5
Type of Accessory:	Unloader
Material:	Stainless Steel (S)

Description:

This Stainless Steel Pressure Sensitive Regulating Unloader is designed for single or multiple pump, weep or multi-nozzle systems. This unloader maintains set system pressure and goes into by-pass with the release of the trigger or an obstruction downstream. Pressure is held in the line during by-pass with full pressure when the gun is opened or the obstruction cleared and minimal pressure fluctuation with the alternating use of multiple guns. 5-10% by-pass is necessary for optimum performance.

Accessory to be used with these Pumps:

[3501](#)35 FRAME PLUNGER PUMP



[3501C35](#) FRAME PLUNGER PUMP



[781K8](#) FRAME BLOCK-STYLE PLUNGER PUMP



[380138](#) FRAME BLOCK-STYLE PLUNGER PUMP



[3801K38](#) FRAME BLOCK-STYLE PLUNGER PUMP



[681168](#) FRAME BLOCK-STYLE PLUNGER PUMP



[6811K](#)68 FRAME BLOCK-STYLE PLUNGER PUMP

[3507](#)35 FRAME PLUNGER PUMP



[70G118](#) OBSOLETE 7FR PUMP WITH GEARBOX



[6024](#) OBSOLETE 60 FRAME PISTON PUMP



[70](#) OBSOLETE 7 FRAME PLUNGER PUMP